




# BE-M

230 V - 50 Hz a.c.




## BRONZO - BRONZE - BRONCE

"Traditional and powerful, the classic never ends"



© COPYRIGHT ROVER POMPE SNC




BE-M 10

PAT.PEND.



BE-M 14

PAT.PEND.




BE-M 20

PAT.PEND.




BE-M 25




BE-M 30

PAT.PEND.




BE-M 40



BE-M 50

COMMUTATORE  
ROCKER SWITCH  
IN INTERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER



| Code    | Model   | L/h   | ØD mm | HP  | W    | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|---------|---------|-------|-------|-----|------|---------|--------|-------------|-----|---------------|
| 0100 CE | BE-M 10 | 420   | 10    | 0.4 | 320  | 10      | 2850   | 210x120h190 | 4   | 8032706071512 |
| 520000  | BE-M 14 | 900   | 14    | 0.6 | 420  | 10      | 1450   | 230x120h190 | 5   | 8032706070317 |
| 300000  | BE-M 20 | 1700  | 20    | 0.5 | 340  | 25      | 2850   | 230x120h190 | 5   | 8032706070331 |
| 260000  | BE-M 25 | 2400  | 25    | 0.6 | 420  | 12      | 1450   | 250x120h190 | 6   | 8032706070355 |
| 030000  | BE-M 30 | 5000  | 30    | 1.0 | 650  | 15      | 1450   | 310x150h210 | 10  | 8032706070362 |
| 110000  | BE-M 40 | 6500  | 40    | 1.2 | 800  | 15      | 1450   | 320x150h210 | 11  | 8032706070386 |
| 270000  | BE-M 50 | 15000 | 50    | 3.0 | 2100 | 25      | 1450   | 400x170h240 | 22  | 8032706070393 |




# ROVER

230 V - 50 Hz a.c.




## BRONZO - BRONZE - BRONCE

"Innovation, a look ahead"




© COPYRIGHT ROVER POMPE snc



PAT.PEND.

### ROVER 20 CE




PAT.PEND.

### ROVER 25 CE




PAT.PEND.

### ROVER 30 CE



PAT.PEND.


### ROVER 35 CE



PAT.PEND.

### ROVER 40 CE

COMMUTATORE  
ROCKER SWITCH  
INTEERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER




| Code      | Model       | L / h | ØD mm | HP  | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|-----------|-------------|-------|-------|-----|---------|--------|-------------|-----|---------------|
| 300000 CE | ROVER 20 CE | 1700  | 20    | 0.5 | 25      | 2850   | 230x120h190 | 5   | 8032706073271 |
| 540000 CE | ROVER 25 CE | 2500  | 25    | 0.8 | 25      | 2850   | 230x120h190 | 6   | 8032706071390 |
| 965000    | ROVER 30 CE | 4500  | 30    | 1.0 | 20      | 2800   | 255x160h190 | 8   | 8032706071444 |
| 961000    | ROVER 35 CE | 4500  | 35    | 1.0 | 20      | 2800   | 255x160h190 | 8   | 8032706071468 |
| 110000 CE | ROVER 40 CE | 5100  | 40    | 1.0 | 15      | 1450   | 320x150h210 | 11  | 8032706072502 |



# BE-M + By-Pass

230 V 50 Hz a.c.




## ROVER 20 By-Pass



## ROVER 25 By-Pass




## BE-M 40 By-Pass



# BRONZO - BRONZE - BRONCE

"Easy to regulate"



COMMUTATORE  
ROCKER SWITCH  
INTEERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER




| Code      | Model            | L/h       | ØD mm | HP  | W   | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|-----------|------------------|-----------|-------|-----|-----|---------|--------|-------------|-----|---------------|
| 300000 BP | ROVER 20 By-Pass | 800-1700  | 20    | 0.5 | 340 | 12 - 24 | 2850   | 230x120x190 | 5   | 8032706071178 |
| 540000 BP | ROVER 25 By-Pass | 1200-2400 | 25    | 0.8 | 550 | 12 - 24 | 2850   | 230x120x190 | 6   | 8032706072823 |
| 110000 BP | BE-M 40 By-Pass  | 3000-6500 | 40    | 1.2 | 800 | 7 - 15  | 1450   | 320x150x210 | 11  | 8032706071192 |



# BE-M IP55 BRONZO - BRONZE - BRONCE

230 V 50 Hz a.c.

"Stay protected"




PAT.PEND.





**BE-M 20 IP 55**

PAT.PEND.



**BE-M 25 IP 55**

COMMUTATORE  
ROCKER SWITCH  
ININTERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER



| Code   | Model        | L/h  | ØD mm | HP  | W   | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|--------|--------------|------|-------|-----|-----|---------|--------|-------------|-----|---------------|
| 500000 | BE-M 20 IP55 | 1700 | 20    | 0.5 | 340 | 25      | 2850   | 230x120h190 | 5   | 8032706070324 |
| 510000 | BE-M 25 IP55 | 2500 | 25    | 0.6 | 450 | 12      | 1450   | 230x120h190 | 7   | 8032706070348 |

## Staffa Antiribaltamento Stabilizer Base



BE-M 10,14,20,25,30,35,40  
NOVAX 10,14,20,25,30,35  
ROVER CE 20,25,30,35,40  
BE-T 25,30,35,40  
By-Pass., IP55.,Marina.,Novax Oil..

CODE 978035







# BE-T

400 V3 - 50 Hz a.c.



## BRONZO - BRONZE - BRONCE ØD


"Industry is calling"



BE-T 25





BE-T 30



BE-T 40



BE-T 50



| Code      | Model   | L / h | ØD mm | HP  | W    | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|-----------|---------|-------|-------|-----|------|---------|--------|-------------|-----|---------------|
| 140000 CE | BE-T 25 | 2500  | 25    | 0.8 | 420  | 25      | 2850   | 230x120x190 | 6   | 8032706072748 |
| 170000    | BE-T 30 | 5000  | 30    | 1.0 | 650  | 15      | 1450   | 310x150x210 | 7   | 8032706070416 |
| 180000    | BE-T 40 | 6500  | 40    | 1.2 | 800  | 15      | 1450   | 320x150x210 | 12  | 8032706070430 |
| 220000    | BE-T 50 | 15000 | 50    | 3.0 | 2100 | 25      | 1450   | 400x170x240 | 22  | 8032706070447 |





**BRONZO - BRONZE - BRONCE**

*"Viscosity? Not a problem."*



Standard: INOX gears  
Optional: PTFE gears




**BE-G 20**

COMMUTATORE  
ROCKER SWITCH  
IN INTERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER



SHUCKO 16A




**MARINA G 20**



Accessorio - Aftermarket  
CAVO CON PINZE E FUSIBILI  
CABLE WITH PLIERS  
AND FUSES

code 870035



By-Pass Automatico BE-G  
BE-G Automatic By-Pass

code 985035



| Code   | Model             | L/h  | ØD mm | HP  | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|--------|-------------------|------|-------|-----|---------|--------|-------------|-----|---------------|
| 981000 | BE-G 20 HP 0.6    | 900  | 20    | 0.6 | 24      | 1450   | 230x120x190 | 6   | 8032706073554 |
| 979000 | BE-G 20 HP 0.8    | 1750 | 20    | 0.8 | 24      | 2850   | 230x120x190 | 7   | 8032706073561 |
| 978000 | MARINA 12V - G 20 | 1450 | 20    | 0.6 | 20      | 2750   | 250x120x150 | 7   | 8032706073578 |
| 977000 | MARINA 24V - G 20 | 1450 | 20    | 0.6 | 20      | 2750   | 250x120x150 | 7   | 8032706073585 |


© COPYRIGHT ROVER POMPE S.R.L.




# NOVAX-M NOVAX By-Pass



"A friendly technology"



**NOVAX 20 M**



**NOVAX 25 M**



**NOVAX 30 M**




**NOVAX 40 M**



**NOVAX 50 M**




**NOVAX 20 M By-Pass**



**NOVAX 25 M By-Pass**

COMMUTATORE  
ROCKER SWITCH  
INTERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER





| Code      | Model            | L/h       | ØD mm | HP  | W    | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|-----------|------------------|-----------|-------|-----|------|---------|--------|-------------|-----|---------------|
| 790000    | NOVAX 20 M       | 1700      | 20    | 0.5 | 340  | 25      | 2850   | 230x120h190 | 5   | 8032706070249 |
| 780000    | NOVAX 25 M       | 2400      | 25    | 0.6 | 420  | 12      | 1450   | 250x120h190 | 6   | 8032706070256 |
| 770000    | NOVAX 30 M       | 5000      | 30    | 1.0 | 650  | 15      | 1450   | 310x150h210 | 10  | 8032706070263 |
| 750000    | NOVAX 40 M       | 6500      | 40    | 1.2 | 800  | 15      | 1450   | 320x150h210 | 11  | 8032706070294 |
| 740000    | NOVAX 50 M       | 15000     | 50    | 3   | 2100 | 25      | 1450   | 400x170h240 | 22  | 8032706070300 |
| 790000 BP | NOVAX 20 By-Pass | 800-1700  | 20    | 0.5 | 340  | 25      | 2850   | 230x120h190 | 5   | 8032706072694 |
| 730000 BP | NOVAX 25 By-Pass | 1500-2500 | 25    | 0.8 | 460  | 20      | 2850   | 230x120h190 | 6   | 8032706072618 |

# R NOVA-X-T

400 V - 50 Hz a.c.  
INOSSIDABILE - INOXDABLE




"Always ready to satisfy"



**NOVA-X T 25**





**NOVA-X T 40**



**NOVA-X T 30**



**NOVA-X T 50**



| Code      | Model       | L/h   | ØD mm | HP  | W    | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|-----------|-------------|-------|-------|-----|------|---------|--------|-------------|-----|---------------|
| 280000 CE | NOVA-X 25 T | 2400  | 25    | 0.8 | 540  | 25      | 2850   | 230x120h190 | 6   | 8032706073028 |
| 320000    | NOVA-X 30 T | 5000  | 30    | 1.0 | 720  | 15      | 1450   | 300x150h210 | 10  | 8032706070508 |
| 970000    | NOVA-X 40 T | 6500  | 40    | 1.2 | 800  | 15      | 1450   | 320x150h210 | 11  | 8032706070522 |
| 980000    | NOVA-X 50 T | 15000 | 50    | 3.0 | 2100 | 25      | 1450   | 400x170h240 | 22  | 8032706070539 |







# NOVAX-G

INOSSIDABILE - INOXDABLE

"Olive oil, liquid soap, you're welcome"



Standard: INOX gears  
Optional: PTFE gears




**NOVAX-G 20**

COMMUTATORE  
ROCKER SWITCH  
IN INTERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER



SHUCKO 16A




**MARINA NOVAX G 20**




Accessorio - Aftermarket  
CAVO CON PINZE E FUSIBILI  
CABLE WITH PLIERS  
AND FUSES

code 870035



By-Pass Automatic BE-G  
BE-G Automatic By-Pass

code 985035



| Code   | Model                 | L/h  | ØD mm | HP  | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|--------|-----------------------|------|-------|-----|---------|--------|-------------|-----|---------------|
| 972000 | NOVAX G 20 HP 0.6     | 900  | 20    | 0.6 | 24      | 1450   | 230x120h190 | 6   | 8032706072373 |
| 971000 | NOVAX G 20 HP 0.8     | 1750 | 20    | 0.8 | 24      | 2850   | 230x120h190 | 7   | 8032706072380 |
| 969000 | NOVAX MARINA G 20 12V | 1450 | 20    | 0.6 | 20      | 2750   | 250x120h150 | 7   | 8032706072397 |
| 968000 | NOVAX MARINA G 20 24V | 1450 | 20    | 0.6 | 20      | 2750   | 250x120h150 | 7   | 8032706072403 |




# NOVAX Oil

230 V - 50 Hz a.c.  
INOSSIDABILE - INOXDABLE




"Sweet transferring"




COMUTATORE  
ROCKER SWITCH  
INTEERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER



**NOVAX 10 Oil**




**NOVAX 14 Oil**




**NOVAX 25 Oil**



**NOVAX 30 Oil**



**NOVAX 50 M**





| Code   | Model        | L / h<br>(olive oil - water) | ØD<br>mm | HP  | Hmax(m) | r.p.m. | A X B x H   | Kg. | EAN code      |
|--------|--------------|------------------------------|----------|-----|---------|--------|-------------|-----|---------------|
| 4200   | NOVAX 10 OIL | 300 - 420                    | 10       | 0.4 | 10      | 2850   | 210x120h190 | 4   | 8032706071529 |
| 800000 | NOVAX 14 Oil | 600 - 900                    | 14       | 0.6 | 10      | 1450   | 230x120h190 | 5   | 8032706070232 |
| 998000 | NOVAX 25 OIL | 1800 - 2500                  | 25       | 0.9 | 12      | 1450   | 250x120h190 | 8   | 8032706071291 |
| 640000 | NOVAX 30 OIL | 3000 - 5000                  | 30       | 1.2 | 15      | 1450   | 310x150h210 | 11  | 8032706070270 |
| 740000 | NOVAX 50 M   | 11000 - 15000                | 50       | 3.0 | 20      | 1450   | 400x170h240 | 22  | 8032706070300 |





# NOVAX 20 B

"The BEST choice of Home Brewers"

**max  
95°C**



COMMUTATORE  
ROCKER SWITCH  
INTEERRUPTOR PULSADOR  
DRUCKKNOPFSCHALTER



suitable for:  
hot wort  
hot juice  
other hot drinks



NOVAX 20 B



| Code   | Model      | L / h | ØD mm | HP  | W   | Hmax(m) | r.p.m. | A x B x H   | Kg. | EAN code      |
|--------|------------|-------|-------|-----|-----|---------|--------|-------------|-----|---------------|
| 964000 | NOVAX 20 B | 1700  | 20    | 0.5 | 340 | 25      | 2850   | 230x120x190 | 5   | 8032706072526 |

The VITON name is a registered trademark of DuPont Performance Elastomers L.L.C..